



# 300PSI Non-Rising Stem Resilient-Seated Gate Valve

As the professional manufacture, we would like to provide you high quality Hispeed® 300PSI Non-Rising Stem Resilient-Seated Gate Valve. And we will offer you the best after-sale service and timely delivery. 300PSI Non-Rising Stem Resilient-Seated Gate Valve. The gate valve provides full flow with minimal pressure drop. The gate valve is designed to be the main control valve

in an automatic fire sprinkler system. The gate valve features a Class 125 flange, flat face end connection for easy installation and accessibility. We are expecting to become your long term partner in China.

#### **Product Description**


The following is the introduction of high quality Hispeed® 300PSI Non-Rising Stem Resilient-Seated Gate Valve, hoping to help you better understand 300PSI Non-Rising Stem Resilient-Seated Gate Valve. Welcome new and old customers to continue to cooperate with us to create a better future!

#### Hispeed® 300PSI Non-Rising Stem Resilient-Seated Gate Valve

The Hispeed® 300PSI Non-Rising Stem Resilient-Seated(NRS) Gate Valve is designed to be the main control valve in an automatic fire sprinkler system. The gate valve features a Class 125 flange, flat face end connection for easy installation and accessibility. We are expecting to become your long term partner in China.

#### **Product Parameter (Specification)**





Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	16"	18"	20"	24"	30"
L	178	191	203	229	254	267	292	330	356	381	406	432	457	508	610
н	240	255	280	305	380	417	525	621	711	905	980	1115	1190	1340	1730
D	175	175	255	255	305	305	355	405	405	558	558	610	610	762	

### **Product Feature And Application**

Meet or exceed AWWA C515

Full Waterway

Ductile Iron Wedge, EPDM Encapsulated

Face to Face Dimensions to ANSI/ASME B16.10, EN558 S03

Flange Drilling to ANSI B16.1, Class 125

300PSI Rating

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

#### **Product Details**

ASTM B150 Bronze Stem Available ASTM A276 Type 316/431/420 Stainless Steel Available

Tel: +86-18005365375

E-mail: sales@headsupplier.com



# Available with Handwheel, Operateing Nut or Gear Box

Part Name	Materials	ASTM Specification			
Body	Ductile Iron	A536 65-45-12			
Bonnet	Ductile Iron	A536 65-45-12			
Wedge	EPDM Fully Encapsulated Ductile Iron Wedge				
Thrust Collar	Bronze	B148 C95200			
Wedge Nut	Bronze	C95200			
Stem	Stainless Steel	A276 Grade 304			
O-Ring	Rubber	D2000 BUNA-N			
Gasket	Rubber	D2000 EPDM			
Gland	Ductile Iron	A536 65-45-12			
Fasteners	Ductile Iron	A307, Grade B			
Operating Nut	Carbon Steel	A536 65-45-12			
Handwheel	Ductile Iron	A536 65-45-12			

# **Deliver, Shipping And Serving**

Ship from Qingdao or another Seaports

## **FAQ**

	Q	Α
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.



	Can you send your staff to install					
9	the equipment for us?	Unwanted.				
10	Can I only buy some spare parts from you?	YES.				
11	Will you will attend the fair to show your products?	YES.				
12	Can you send your equipment to my warehouse in guangzhou?	YES.				
13	How long it takes you to provide the designing options for us?	3 days at most.				
14	What is your products standardization?	AWWA BS AIP WRAS FM.				
15	How do you pack the equipment?	Negotiate with the customer.				
16	Can you can design the equipment according to our size?	YES.				
17	How many years have your company made this kind of equipment?	5 years.				
18	Which certificate do you have for your equipment?	FM.				
19	How many staffs do you have in your factory?	200				
20	Do you have any agent in our country?	NONE.				
21	Do you have any real project pictures of the equipment?	YES.				
22	How far is your factory from the city hotel?	10 km.				
23	How far is your factory from the airport?	10 km.				
24	How long it will take from guangzhou to your factory?	5 hours.				
25	Where is your factory located?	Weifang City, Shandong province.				
26	Do you provide free spare parts?	It depends.				



27	What is the age range for your products?	Everyone.		
28	Do you have detailed and professional installation manual?	YES.		
29	If OEM is acceptable?	YES.		
30	Do you provide sample? Free or charge?	It depends.		
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.		
32	What is your MOQ?	One container.		
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.		
34	How long is your delivery time?	25-40 days.		

Fast and superior quotations, informed advisers to help you choose the correct solution that suits all your needs, a short generation time, responsible quality handle and unique products and services for paying and shipping affairs for Wholesale OEM China Inside Screw Non-Rising Stem Type Resilient Seated Gate Valve, We have now much more than 20 years experience with this industry, and our profits are perfectly experienced. We can easily supply you with the most specialist solutions to meet your products' needs. Any troubles, appear to us! Wholesale OEM China Knife Gate Valve, Cameron Gate Valve, Honest to every customers are our requested! First-class serve, best quality, best price and fastest delivery date is our advantage! Give every customers good serve is our tenet! This makes our company get the favour of customers and support! Welcome all over the world customers send us enquiry and looking forward your good co-operation !Please your inquiry for more details or request for dealership in selected regions.