



300PSI Pressure Relief Valve

You can rest assured to buy customized Hispeed® 300PSI Pressure Relief Valve from us. We supply 300PSI Pressure Relief Valve. The Pressure Relief Valves limit inlet pressure by relieving excess pressure and prevent pipe line pressure from rising to maximum. The Pressure Relief Valves are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The Pressure

Reducing Valves features a Class 125 flange or a groove, easy installation and accessibility. We are expecting to become your long term partner in China.


Product Description

You are welcomed to come to our factory to buy the latest selling, low price, and high-quality Hispeed® 3300PSI Pressure Relief Valve. Our products have a good quality&price advantage and cover most of the European and American markets. We look forward to becoming your long-term partner in China.

Hispeed® 300PSI Pressure Relief Valve

The Pressure Relief Valves limit inlet pressure by relieving excess pressure and prevent pipe line pressure from rising to maximum. The Pressure Relief Valves are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The Pressure Reducing Valves features a Class 125 flange or a groove, easy installation and accessibility. We are expecting to become your long term partner in China.

Product Parameter (Specification)



Size	DN40	DN50	DN65	DN80	DN100	DN125	DN150	DN200	DN250	DN300
L	200/7.87	230/9.05	290/11.42	310/12.2	350/13.78	400/15.75	480/18.9	600/23.6	730/28.75	850/33.46
B	220/8.66	241/9.48	290/11.42	325/12.8	381/15	419/16.5	508/20	645/25.4	762/30	900/35.43
H	180/7.1	200/7.9	215/8.46	265/10.45	310/12.2	360/14.2	380/15	450/17.75	570/22.45	690/27.2
W	410/16.2	420/16.6	440/17.35	455/18	470/18.5	490/19.3	540/21.25	590/23.23	640/25.2	690/27.2

Product Feature And Application

Relief valve limits inlet pressure by relieving excess pressure

Pressure sustaining:Prevents pipe line pressure from rising to maximum valve

Operate over a wide flow range

Inlet pressure adjustment range:65-180PSI

Quick opening and adjustable closing speed

Flanged and Drilling Complies with ANSI B16.1 Class125/Groove dimensions comply with AWWA C606

300psi

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

Product Details

Part	Material	ASTM Specification
Body	Ductile Iron	A536 Grade 65-45-12
Bonnet	Ductile Iron	A536 Grade 65-45-12
Seat	Stainless Steel	A276 Type 304
Stem	Stainless Steel	A276 Type 304
Spring	Stainless Steel	A276 Type 304
Diaphragm	Nylon Reinforced Natural Rubber/EPDM/NBR	
Seat Disc	NBR/EPDM	
Pressure Relief Pilot	Bronze	B62 C62300

Deliver,Shipping And Serving

Ship from Qingdao or another Seaports

FAQ

	Q	A
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.

4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your company made this kind of equipment?	5 years.
18	Which certificate do you have for your equipment?	FM.
19	How many staffs do you have in your factory?	200

20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.
22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City, Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.

To be the stage of realizing dreams of our employees! To build a happier, far more united and far more specialist team! To reach a mutual profit of our customers, suppliers, the society and ourselves for Good Wholesale Vendors China 300psi Design Brass Pressure Regulator Valve, As a key enterprise of this industry, our company makes efforts to become a leading supplier, based on the faith of professional quality & worldwide service. Good Wholesale Vendors China Brass Pressure Valve, Pressure Relief Valve, Due to the stability of our products and solutions, timely supply and our sincere service, we've been able to sell our solutions not only over the domestic market, but also exported to countries and regions, including the Middle East, Asia, Europe and other countries and regions. At the same time, we also undertake OEM and ODM orders. We are going to do our best to serve your company, and establish a successful and friendly cooperation with you.