



300PSI Y-Strainer(Grooved End)

As the professional manufacture, we would like to provide you Hispeed® 300PSI Y-Strainer(Grooved End). We supply 300PSI Y-Strainer(Grooved End).The Y-Strainers are low friction loss Y-Strainers designed for use in fire protection systems.The Y-Strainers are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems.The Y-Strainer features a groove, easy installation and accessibility.

We are expecting to become your long term partner in China.

Product Description


You can rest assured to buy Hispeed® 300PSI Y-Strainer(Grooved End) from our factory and we will offer you the best after-sale service and timely delivery. We firmly believe that perseverance is the key to the success of an enterprise. Continuous satisfaction of the needs of consumers is the basis for the survival of an enterprise, and products quality is the life of an enterprise.

Hispeed® 300PSI Y-Strainer(Grooved End)

on

The Y-Strainers are low friction loss Y-Strainers designed for use in fire protection systems.The Y-Strainers are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems.The Y-Strainer features a grooved, easy installation and accessibility. We are expecting to become your long term partner in China.

Product Parameter (Specification)



Size	DN50	DN65	DN80	DN100	DN125	DN150	DN200	DN250	DN300
OD	60.3	73/76.1	88.9	114.3	139.7/141.3	165.1/168.3	219.1	273	323.9
L	225	285	318	375	448	502	640	710	780
H	152	215	219	254	322	365	462	540	610
Plug	1/2"	1"	1"	1"	1-1/4"	1-1/2"	1-1/2"	2"	2"

Product Feature And Application

NPT or BSPT blowoff outlet on cover

Screens are perforated ss304 with spot welded seam

Recessed seat in body assures accurate screen alignment

Groove dimensions comply with AWWA C606

300PSI

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

Product Details

Part	Material	EN Specification	ASTM Specification
Body	Ductile Iron	EN 1563, EN-GJS-450-10	A536 65-45-12
Cover	Ductile Iron	EN 1563, EN-GJS-450-10	A536 65-45-12
Screen	Stainless Steel	EN 10088-3, X5CrNi18-10	A276 Grade 304
Gasket	EPDM		
Plug	7101 Cast Iron	EN 1561, EN-GJL-250	A126 Class B
	7102 Ductile Iron	EN 1563, EN-GJS-450-10	A536 65-45-12

Deliver,Shipping And Serving

Ship from Qingdao or another Seaports

FAQ

	Q	A
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory	According to national regulations.

	and to have your spring festival holidays?	
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your company made this kind of equipment?	5 years.
18	Which certificate do you have for your equipment?	FM.
19	How many staffs do you have in your factory?	200
20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.

22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City,Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.

The pretty loaded projects management experiences and one to a person support model make the high importance of business enterprise communication and our easy understanding of your expectations for OEM/ODM Factory China UL FM Fire Fighting Grooved End Signal Gearbox Butterfly Valve, "Making the Merchandise of Significant Quality" could be the eternal goal of our firm. We make unremitting endeavours to know the aim of "We Will Always Keep in Pace using the Time". OEM/ODM Factory China UL FM Valve, UL FM Approved Valve, "Create Values,Serving Customer!" is the aim we pursue. We sincerely hope that all customers will establish long term and mutually beneficial cooperation with us.If you wish to get more details about our company, You should contact with us now.