



PN16 Wet System Valve

The following is the introduction of high quality Hispeed® PN16 Wet System Valve, We supply PN16 Wet System Valve. The Wet System valve works as a check valve by preventing the reverse flow of water from the system piping to the water supply. The valve is trimmed with a water bypass line, which has an in-line swing check valve. The bypass line allows pressure surges to enter the system and to be trapped above the alarm check


valve's clapper without the clapper lifting and causing false alarms. When significant flow of water occurs, such as from an open sprinkler, the valve's clapper lifts and allows water to enter the system. Simultaneously, water enters an intermediate chamber, which allows the water to activate an alarm either through a water motor alarm or through a water pressure alarm. These alarms continue to sound until the flow of water is stopped. We are expecting to become your long term partner in China.

Product Description

As the professional manufacture, we would like to provide you Hispeed® PN16 Wet System Valve. Our focus is on maintaining a high level of professionalism, service, and quality.

The Wet System valve works as a check valve by preventing the reverse flow of water from the system piping to the water supply. The valve is trimmed with a water bypass line, which has an in-line swing check valve. The bypass line allows pressure surges to enter the system and to be trapped above the alarm check valve's clapper without the clapper lifting and causing false alarms. When significant flow of water occurs, such as from an open sprinkler, the valve's clapper lifts and allows water to enter the system. Simultaneously, water enters an intermediate chamber, which allows the water to activate an alarm either through a water motor alarm or through a water pressure alarm. These alarms continue to sound until the flow of water is stopped. We are expecting to become your long term partner in China.

Product Parameter (Specification)



Dimensions		Pressure rating	Size (mm)						
DN	inch	PN	ΦD	L	H	A	B	C	E
80	3	16	200	283	120	120	296	300	238
100	4	16	220	305	127.5	120	365	305	182
150	6	16	285	394	182	120	402	330	218
200	8	16	340	457	214	120	424	365	248

Product Feature And Application

Flanged and Drilling Complies with EN1092-2 PN16

PN16

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

Product Details

Name of parts	Material
Body	EN-GJS-500-7
Cover	EN-GJS-500-7
Disc	Bronze
Seat ring on body	Stainless Stell 304
Seal	EPDM
Shaft	Stainless Stell 304
Bearing bush	Brass
Spring	Stainless Stell 304

Deliver,Shipping And Serving

Ship from Qingdao or another Seaports

FAQ

	Q	A
--	---	---

1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your	5 years.

	company made this kind of equipment?	
18	Which certificate do you have for your equipment?	FM.
19	How many staffs do you have in your factory?	200
20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.
22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City, Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.

Well-run devices, expert profits group, and better after-sales companies; We have been also a unified huge family, everybody keep on with the organization worth "unification, determination, tolerance" for OEM/ODM Supplier China Wet Type Alarm Check Valve for Deluge System for Fire Alarm System, All prices depend upon the quantity of your

respective purchase; the far more you get, the a lot more economical the price is. We also offer fantastic OEM company to several famous brands. OEM/ODM Supplier China Alarm Check Valve, Wet Alarm Check Valve, Faced with the vitality of the global wave of economic integration, we've been confident with our high-quality merchandise and sincerely service to all our customers and wish we can cooperate with you to create a brilliant future.