



**PN16 Y-Strainer**

The following is the introduction of high quality Hispeed® PN16 Y-Strainer, We supply PN16 Y-Strainer. The Y-Strainers are low friction loss Y-Strainers designed for use in fire protection systems. The Y-Strainers are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The Y-Strainer features a PN16 flange, raised face end connection for easy installation and accessibility.

We are expecting to become your long term partner in China.


**Product Description**

As the professional manufacture, we would like to provide you Hispeed® PN16 Y-Strainer. In recently years, the factory has won the sincere love of customers by relying on its sincere reputation, professional and and enthusiastic service to convey the three excellent standard services of high quality materials, preferential prices and excellent service to our customers.

**Hispeed® PN16 Y-Strainer**

The Y-Strainers are low friction loss Y-Strainers designed for use in fire protection systems. The Y-Strainers are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The Y-Strainer features a PN16 flange, raised face end connection for easy installation and accessibility. We are expecting to become your long term partner in China.

**Product Parameter (Specification)**



| Size | DN50 | DN65 | DN80 | DN100 | DN125  | DN150  | DN200  | DN250 | DN300 | DN350 | DN400 | DN450 | DN500 | DN600 |
|------|------|------|------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| L    | 230  | 273  | 295  | 352   | 416    | 470    | 543    | 660   | 770   | 960   | 1079  | 1168  | 1275  | 1450  |
| H    | 149  | 180  | 203  | 244   | 285    | 324    | 393    | 473   | 554   | 755   | 840   | 910   | 968   | 1160  |
| Plug | 1/2" | 1"   | 1"   | 1"    | 1-1/4" | 1-1/2" | 1-1/2" | 2"    | 2"    | 2"    | 2"    | 2"    | 2"    | 2"    |

**Product Feature And Application**

NPT or BSPT blowoff outlet on cover

Screens are perforated ss304 with spot welded seam

Recessed seat in body assures accurate screen alignment

Flanged and Drilling Complies with EN1092-2 PN16

PN16

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

**Product Details**

| Part   | Material          | EN Specification        | ASTM Specification |
|--------|-------------------|-------------------------|--------------------|
| Body   | Ductile Iron      | EN 1563, EN-GJS-450-10  | A536 65-45-12      |
| Cover  | Ductile Iron      | EN 1563, EN-GJS-450-10  | A536 65-45-12      |
| Screen | Stainless Steel   | EN 10088-3, X5CrNi18-10 | A276 Grade 304     |
| Gasket | EPDM              |                         |                    |
| Plug   | 7101 Cast Iron    | EN 1561, EN-GJL-250     | A126 Class B       |
|        | 7102 Ductile Iron | EN 1563, EN-GJS-450-10  | A536 65-45-12      |

**Deliver,Shipping And Serving**

Ship from Qingdao or another Seaports

**FAQ**

|   | Q   | A                                  |
|---|---|------------------------------------|
| 1 | How many days you need to install the equipment?                                  | Unwanted.                          |
| 2 | How many staff abroad you sent to install the equipment?                          | Unwanted.                          |
| 3 | Can I transfer the money to you then you pay to other supplier?                   | YES.                               |
| 4 | Can I delivery the goods from other supplier to your factory? Then load together? | YES.                               |
| 5 | When will you leave your factory  | According to national regulations. |

|    |  |                              |
|----|--|------------------------------|
|    | and to have your spring festival holidays?                     |                              |
| 6  | Can the equipment be installed under hot weather?              | YES.                         |
| 7  | Can Your products be installed under the cold weather?         | YES.                         |
| 8  | Do You have office in shanghai or guangzhou that i can visit?  | NONE.                        |
| 9  | Can you send your staff to install the equipment for us?       | Unwanted.                    |
| 10 | Can I only buy some spare parts from you?                      | YES.                         |
| 11 | Will you will attend the fair to show your products?           | YES.                         |
| 12 | Can you send your equipment to my warehouse in guangzhou?      | YES.                         |
| 13 | How long it takes you to provide the designing options for us? | 3 days at most.              |
| 14 | What is your products standardization?                         | AWWA BS AIP WRAS FM.         |
| 15 | How do you pack the equipment?                                 | Negotiate with the customer. |
| 16 | Can you can design the equipment according to our size?        | YES.                         |
| 17 | How many years have your company made this kind of equipment?  | 5 years.                     |
| 18 | Which certificate do you have for your equipment?              | FM.                          |
| 19 | How many staffs do you have in your factory?                   | 200                          |
| 20 | Do you have any agent in our country?                          | NONE.                        |
| 21 | Do you have any real project pictures of the equipment?        | YES.                         |

|    |  |   |
|----|--|---|
| 22 | How far is your factory from the city hotel?               | 10 km.  |
| 23 | How far is your factory from the airport?                  | 10 km.  |
| 24 | How long it will take from guangzhou to your factory?      | 5 hours.  |
| 25 | Where is your factory located?                             | Weifang City, Shandong province.                  |
| 26 | Do you provide free spare parts?                           | It depends.                                       |
| 27 | What is the age range for your products?                   | Everyone.   |
| 28 | Do you have detailed and professional installation manual? | YES.  |
| 29 | If OEM is acceptable?                                      | YES.  |
| 30 | Do you provide sample? Free or charge?                     | It depends.                                       |
| 31 | What is your term of payment?                              | 30% payment in advance, 70% paid before shipment. |
| 32 | What is your MOQ?  | One container.                                    |
| 33 | Are you a trading company or a manufacturer?               | Trade and Industry combination group company.     |
| 34 | How long is your delivery time?                            | 25-40 days.                                       |

That has a sound business credit history, outstanding after-sales service and modern producing facilities, we have earned an superb popularity amid our buyers across the planet for Factory Cheap China DIN Pn16 Iron Y Strainer in Piping Industrial Y Strainer Valve, Our products and solutions are widely recognized and reliable by users and can fulfill continuously acquiring economic and social needs. Factory Cheap China Strainer, Filter, We welcome you to visit our company and factory. It is also convenient to visit our website. Our sales team will offer you the best service. If you need to have more information, you should feel free to contact us by E-mail or telephone. We have been sincerely hope to establish a good long-term business relationship with you through this opportunity, based on equal, mutual benefit from now till the future.