



Reducer Tee

We supply Reducer Tee. The HISPEED® Reducer Tee can be applied to water treatment and drinking water, oil and gas, heating & power, HVAC system, medicine & food and so on. We are specialized in providing stainless steel press fittings system solutions and products for pipelines. We are expecting to become your long term partner in China.

Product Description


As the professional manufacturer, we would like to provide you high quality Hispeed® Reducer Tee. And we will offer you the best after-sale service and timely delivery.

The HISPEED® Reducer Tee can be applied to water treatment and drinking water, oil and gas, heating & power, HVAC system, medicine & food and so on. We are specialized in providing stainless steel press fittings system solutions and products for pipelines. We are expecting to become your long term partner in China.

It is our responsibility to meet your needs and efficiently serve you. Your satisfaction is our best reward. We are looking forward to your visit for joint growth for Chinese Professional China High-Quality Pipe Casting Reducer Tee for UPVC/CPVC Pipes Manufacturer, We play a leading role in providing customers with high quality products good service and competitive prices. Chinese Professional China PVC Pipe Fittings, Pipe Accessories, During in 11 years, We have now participated in more than 20 exhibitions, obtains the highest praise from each customer. Our company always aim to deliver the customer best merchandise with lowest price. We've been making great efforts to achieve this win-win situation and sincerely welcome you to join us. Join us, show your beauty. We'll always be your first choice. Trust us, you will never lose heart.


Product Parameter (Specification)

Reducer Tee-M:



Size (OD) mm	L mm	Z mm	T1 mm
18x15	70±2	29	1.5
22x15	77±2	35	1.5
22x18	77±2	35	1.5
18x15	88±2	42	1.5
28x18	88±2	42	1.5
28x22	88±2	42	1.5
35x15	102±2	48	1.5
35x18	102±2	48	1.5
35x22	102±2	48	1.5
35x28	102	48	1.5
42x18	120±2	56	1.5
42x22	120±2	56	1.5
42x28	120±2	56	1.5
42x35	120±2	56	1.5
54x18	144±2	70	1.5
54x22	144±2	70	1.5
54x28	144±2	70	1.5
54x35	144±2	70	1.5
54x42	144±2	70	1.5
76.1x22	232±2	110	2.0
76.1x28	232±2	110	2.0
76.1x35	232±2	110	2.0
76.1x42	232±2	110	2.0
76.1x54	232±2	110	2.0
88.9x22	262±2	126	2.0
88.9x28	262±2	126	2.0
88.9x35	262±2	126	2.0
88.9x42	262±2	126	2.0
88.9x54	262±2	126	2.0
88.9x76.1	262±2	126	2.0
108x22	312±2	154	2.0
108x28	312±2	154	2.0
108x35	312±2	154	2.0
108x42	312±2	154	2.0
108x54	312±2	154	2.0
108x76.1	312±2	154	2.0
108x88.9	312±2	154	2.0

Reducer Tee-V:



Size (OD) mm	L mm	Z mm	T1 mm
18x15	80±2	36	1.5
22x15	86±2	40	1.5
22x18	86±2	40	1.5
28x15	94±2	46	1.5
28x18	94±2	46	1.5
28x22	94±2	46	1.5
35x15	108±2	54	1.5
35x18	108±2	54	1.5
35x22	108±2	54	1.5
35x28	108±2	54	1.5
42x18	136±2	60	1.5
42x22	136±2	60	1.5
42x28	136±2	60	1.5
42x35	136±2	60	1.5
54x18	154±2	72	1.5
54x22	154±2	72	1.5
54x28	154±2	72	1.5
54x35	154±2	72	1.5
54x42	154±2	72	1.5
76.1×22	250	114.6	2.0
76.1×28	250	114.6	2.0
76.1×35	250	114.6	2.0
76.1×42	250	114.6	2.0
76.1×54	250	114.6	2.0
88.9×22	270	124.8	2.0
88.9×28	270	124.8	2.0
88.9×35	270	124.8	2.0
88.9×42	270	124.8	2.0
88.9×54	270	124.8	2.0
88.9×76.1	270	124.8	2.0
108×22	300	134.6	2.0
108×28	300	134.6	2.0
108×35	300	134.6	2.0
108×42	300	134.6	2.0
108×54	300	134.6	2.0
108×76.1	300	134.6	2.0
108×88.9	300	134.6	2.0

Product Feature And Application

- Easy&fast to install
- Long service life
- Wide range of applications
- Green health&Environmental protection
- Excellent corrosion resistance&Low cost of labour

Product Details

SS304/SS316L/carbon steel(galvanized)

O-ring in EPDM/FKM/NBR are available

Deliver,Shipping And Serving

Ship from Qingdao or another Seaports

FAQ

	Q	A
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.

13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your company made this kind of equipment?	5 years.
18	Which certificate do you have for your equipment?	FM.
19	How many staffs do you have in your factory?	200
20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.
22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City,Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.

31	What is your term of payment?	30% payment in advance, 70% paid before shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.