



**Stainless Steel Pneumatic Shuttle Valve**

We supply Stainless Steel Pneumatic Shuttle Valve. The HISPEED® Stainless Steel Pneumatic Shuttle Valves are designed and manufactured to provide maximum service life and dependability. The HISPEED® Stainless Steel Pneumatic Shuttle Valves may be used in commercial and industrial applications, including Beer drink, Printing and dyeing, Air separation, Pharmaceutical, Filling, Chemical

industry, Sterilization, Foam equipment Environmental protection etc. Choose HISPEED® Stainless Steel Pneumatic Shuttle Valves for the most specified, versatile and economical valve option in commercial, mechanical and industrial applications. We are expecting to become your long term partner in China.

**Product Description**

The following is the introduction of high quality Hispeed® Stainless Steel Pneumatic Shuttle Valve, hoping to help you better understand Stainless Steel Pneumatic Shuttle Valve. Welcome new and old customers to continue to cooperate with us to create a better future!


The HISPEED® Stainless Steel Pneumatic Shuttle Valves are designed and manufactured to provide maximum service life and dependability. The HISPEED® Stainless Steel Pneumatic Shuttle Valves may be used in commercial and industrial applications, including Beer drink, Printing and dyeing, Air separation, Pharmaceutical, Filling, Chemical industry, Sterilization, Foam equipment Environmental protection etc. Choose HISPEED® Stainless Steel Pneumatic Shuttle Valves for the most specified, versatile and economical valve option in commercial, mechanical and industrial applications. We are expecting to become your long term partner in China.

Our firm since its inception, normally regards item top quality as company life, constantly make improvements to generation technology, improve product excellent and repeatedly strengthen organization total good quality management, in strict accordance with the national standard ISO 9001:2000 for Cheapest Price China Threaded Connections Stainless Steel Series Pneumatic Coaxial Shuttle Valve, And there are also a lot of overseas close friends who came for sight seeing, or entrust us to buy other stuff for them. You will be most welcome to come to China, to our city and to our manufacturing facility! Cheapest Price China Valves, Control Valve, Our company regards "reasonable prices, high quality, efficient production time and good after-sales service" as our tenet. We hope

to cooperate with more customers for mutual development and benefits in future. Welcome to contact us.


**Product Parameter (Specification)**

**200 系列外型尺寸 Dimension for 200 Series**



规格 Size	DN10	DN15	DN20	DN25	DN32	DN40	DN50
接口尺寸 Thread End	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
A (mm)	56	61	72	78	94	104	116
D (mm)	46	52	64	69	86	96	108
SW (mm)	22	26.5	32	41	50	56	70
B (mm)	33	35	40	43	51	56	62
L (mm)	98	112	135	143	165	180	207
重量 weight (Kg)	0.76	0.94	1.43	1.85	2.98	3.66	5.64

**201 系列外型尺寸 Dimension for 201 Series**



规格 Size	DN8	DN10	DN15	DN20	DN25	DN32	DN40	DN50
接口尺寸 Thread End	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
A (mm)	49.5	49.5	53.3	63.5	70	85.5	95	109
D (mm)	37	37	42.5	52	60	75	84	97
SW (mm)	22	22	26	32	40	49	53	68
B (mm)	31	31	32	37.5	40	48	53	60
L (mm)	98	98	112	135	143	165	180	207
重量 weight (Kg)	0.54	0.54	0.67	1.05	1.45	2.32	2.82	4.38

**Product Feature And Application**

Small size, beautiful appearance, long life

It adopts stainless steel valve body, which has high appearance and corrosion resistance. The piston and the seal are combined into one, which is simple and reliable, has an extremely long service life, and can be installed in any direction.

Fast speed, small pressure loss

The fluid flow in the valve body is better. Because the medium pressure acts on the valve seat, the piston is hardly interfered by the resistance, so the switching speed is fast and the pressure loss is small.

Vacuum resistant

Excellent sealing performance for vacuum lines.

**Product Details**

Fluid Pressure: Max 16bar (232psi)

Control Pressure: 3-8bar (43.5-116psi)

Control Medium: clean compressed air or neutral gas

Body Material: CF8M/CF8

Seal Material: EPDM EPDM/fluoro rubber FPM

Applicable Media: FPM is suitable for most media except steam.

EPDM is suitable for hot water and steam, not for oils, fuels, etc.

Medium Temperature: -20°C - +150°C (FPM),

-20°C — +130°C (EPDM)

Ambient Temperature: -20°C — +80°C

Control Type: single acting normally closed, normally open, double acting normally closed, double acting free state

Connection Type: threaded (BSP, NPT, BSPT)

Leakage Rating: DIN EN 12266 Class A

**Deliver,Shipping And Serving**

Ship from Qingdao or another Seaports

**FAQ**

	Q	A
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.

3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.
17	How many years have your company made this kind of equipment?	5 years.
18	Which certificate do you have for your equipment?	FM.

19	How many staffs do you have in your factory?	200
20	Do you have any agent in our country?	NONE.
21	Do you have any real project pictures of the equipment?	YES.
22	How far is your factory from the city hotel?	10 km.
23	How far is your factory from the airport?	10 km.
24	How long it will take from guangzhou to your factory?	5 hours.
25	Where is your factory located?	Weifang City,Shandong province.
26	Do you provide free spare parts?	It depends.
27	What is the age range for your products?	Everyone.
28	Do you have detailed and professional installation manual?	YES.
29	If OEM is acceptable?	YES.
30	Do you provide sample? Free or charge?	It depends.
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.
32	What is your MOQ?	One container.
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.
34	How long is your delivery time?	25-40 days.